New Updates on Zedi Access – December 14th, 2023

This promotion included the following updates.

Crtl+Click to follow link for more details.

- Users can now access eLearning Platform from Zedi Access Zedi Access users can now select the "Grad Cap" icon to complete courses in the eLearning platform.
- Order the Columns in the QTR Tab Users can move sensor tabs in the QTR tab in the summary page.
- Fluid analysis duplicated in ZCM. If an analysis has been rejected, the labs will be able to re-upload the analysis. Approved duplicate analysis will not be accepted.
- <u>User Friendly Error Message in Live Data Screen</u> When a user enters more than 50 characters on the Live Data Screen, users will easily be able to identify what the issue is.
- <u>Updated Property Types Page</u> The property type page is now be updated to showcase "show in Wellsite Display" more clearly.

Users can now access eLearning Platform from Zedi Access

Zedi Access users can now select the "Grad Cap" icon to complete courses in the eLearning platform.

1. Select the **Grad Cap** icon in Zedi Access.

Admin - Data - Re	ports +					- -	🔹 🛛 🛛 Help +	📥 JunB Two 👻
脅 Production •						eLearning	ms: 84 (15	611) (427) (2)
Q Location Search		Summary	🛎 Locations	⊘ Map	M Analytics			Off Auto Refresh (5 minutes)
Show: A zedi QA b C AES-ACM Migration UAT	 . 							

2. The user can now complete courses for training on Zedi Access. To start, **select the course**.



Industrial Software - Zedi IIoT platform

1 866 732 6967 | zedi.support@Emerson.com

3. The users will be taken to the course, to move forward, select **Next** to complete the course.



4. Users will have access to additional courses, by selecting **Course Catalog**.





Industrial Software - Zedi IIoT platform

Order the Columns in the QTR Tab

Users can move sensor tabs in the QTR tab in the summary page in the order that works best for them. Once the user logs out, the order that they have set the sensors will be saved.

^{-Ò́C}Please note, this is user based and will not affect the whole company.

1. To move the sensor in the QTR Tab, select and drag the sensor to the new location in the tab.

Original:

⊞ Su	immary 🛃 Locations 🛛 🥥	Map 🖼 Analytics				Off	Auto Refresh (5 minutes)	Refresh 2
230c	t_D 23Oct_H NewUD	QTR Wells						
T	QTR Type Daily	✓ From 2023-01-01	00:00 To 2023-01-07	23:59 Reset Dates	Show Y-Day Values Yes			Apply
	Location	Date / Time	Water Vplume (m ³)	Yday Water Volum				
≡0	FB107HBN01	2023-01-07 00:00 (MST)	10					
≡0	FB107HBN01	2023-01-06 00:00 (MST)	0	0				
≡0	FB107HBN01	2023-01-05 00:00 (MST)	0	0				
≡0	FB107HBN01	2023-01-04 00:00 (MST)	0	0				
≡0	FB107HBN01	2023-01-03 00:00 (MST)	0	0				
≡0	FB107HBN01	2023-01-02 00:00 (MST)	0	5				
≡0	FB107HBN01	2023-01-01 00:00 (MST)	5	0				

Drag and Drop:

m Su	immary 🛃 Locations		ytics					Off	Auto Refresh (5 minutes) Refre	esh 🕻
230c	t_D 23Oct_H NewUE	QTR Wells								
۲	QTR Type Daily	• From	2023-01-0	01 00:00 To	2023-01-07 23:59	Reset Dates	Show Y-Day Values Yes		Appl	ły
	Location	Date / Time		W Yday	Water Volum					
0	FB107HBN01	2023-01-07 00.0	00 (MST)	_	10	0	1			
0	FB107HBN01	2023-01-06 00:0	00 (MST)		0	0				
0	FB107HBN01	2023-01-05 00:0	00 (MST)		0	0				
0	FB107HBN01	2023-01-04 00:0	00 (MST)		0	0				
0	FB107HBN01	2023-01-03 00:0	00 (MST)		0	0				
0	FB107HBN01	2023-01-02 00:0	00 (MST)		0	5				
0	FB107HBN01	2023-01-01 00:0	00 (MST)		5	0				

New Order:

23Oct_D 23Oct_H New	UD QTR Wells				
T QTR Type Daily	✓ From 2023-01-01	00:00 To 2023-01-07	23:59 Reset Dates	Show Y-Day Values Yes	Apply
Location	Date / Time	Yday Water Volum	Water Volume (m ³)		
E FB107HBN01	2023-01-07 00:00 (MST)	<u> </u>	10		
E FB107HBN01	2023-01-06 00:00 (MST)	0	0		
E FB107HBN01	2023-01-05 00:00 (MST)	0	0		
E FB107HBN01	2023-01-04 00:00 (MST)	0	0		
E FB107HBN01	2023-01-03 00:00 (MST)	0	0		
FB107HBN01	2023-01-02 00:00 (MST)	5	0		
EB107HBN01	2023-01-01 00 00 (MST)	0	5		

Industrial Software - Zedi IIoT platform



1 866 732 6967 | zedi.support@Emerson.com

Fluid analysis duplicated in ZCM

Currently when a lab analysis is uploaded to ZCM and there is an error and the labs will try to reupload a new analysis, and this will not be accepted.

Now, if the first analysis has been rejected, the labs will be able to re-upload the analysis.

If an analysis has been approved, duplicate fluid analysis from the lab will not be imported to ZCM. When a duplicate fluid analysis for ZCM is received, users will receive an email notification from: dataexchange@zedisolutions.com

If a fluid analysis for a site has been imported, it will show only once.

Admin - Fluid Analysis -	倉.	🛛 Help 👻	📥 zedi Admin-Baylex 🔹
0% / Search Fluid Analyses			
Search Fluid Analyses			
All . 101142303123W300			Q Search
Sample Date Start Date 06/09/2023 End Date 12/08/2023			
Advanced Search >			14 Results
<< < 1 2 > >>			
JUN-SAMPLEPOINT 22-031-23W3 Wellhead Nov 20, 2023	Oil		APPROVED
JUN-SAMPLEPOINT 22-031-23W3 Wellhead Nov 20, 2023	Oil		APPROVED A View

Users will receive an email to inform them that a duplicate was received and that it will not be imported.

890↑↓ •	[EXTERNAL] Zedi Composition Management Import Failed - Message (HTML)			01	- 10	•	×
File Message Help 📿 Tell me what you want to de	0						
[EXTERNAL] Zedi Composition Management Ir	mport Failed						
dataexchange@zedisolutions.com		٢	S Reply	() Reply All	\rightarrow Forward	4	
To Bueno, Jun [EMR/SYSS/PSS/CALG]					Eri 12	/8/2023 9	18 AM
Retention Policy 76 Days Delete- Inbox (76 days)	Expires 2/22/2024						
attachment.bin							
Fluid Analysis Failed to Import							
The Fluid Analysis with Lab #: TEST-2-OIL failed to import, w	th 1 error(s) found:						
 An analysis with the LaboratoryNumber 'TEST-2-OIL' 	has already been imported.						
This email is an automatic notification sent by the Zeol Composition Managem	ent web API						



Industrial Software - Zedi IIoT platform

1 866 732 6967 | zedi.support@Emerson.com

User Friendly Error Message in Live Data Screen

When a user enters a Live Data Screen name that is more than 50 characters an error with a detailed description will appear.

Previously the error message did not contain reasoning as to why the user was not able to save.

GENERIC E	ENERIC ERROR MESSAGE There was an unexpected error with your request						
If you red	If you require additional assistance, please contact Zedi Access Support						
Phone	1-866-732-6967						
Email	zedi.support@emerson.com						
Back	Zedi Access Home	ZediSolutions.com					

Now the user can identify the issue of too many characters and can make changes to resolve so that they can save.

-Screen Details-	×
1 Error Exists • Name must be less than or equal to 50 characters	
Name while back I needed to count the amount of letters Use New Layout?	-
Screen Use Zedi Access V Access Level Display V	
Save or Cancel	-



Industrial Software - Zedi IIoT platform

Updated Property Types Page

The property type page is now be updated to showcase "show in Wellsite Display" more clearly.

Before:

😭 / Property Types / Add	Property Type	
Name		*
State Type	Static 🗸	
Show in Wellsite Display		
Multi Company Access to this Property	None	
Save Cancel		

After:

🖀 / Property Types / Add F	Property Type	
Name		*
State Type	Static ~	
Show in Wellsite Display	No	
Multi Company Access to this Property	None 🗸	
	Cancel	



Industrial Software - Zedi IIoT platform